



Version 2.0	Revision Date: 09/06/2018		DS Number: 0000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016	
SECTION	N 1. IDENTIFICATION				
Proc	luct name	:	CB SELECT GLA	ASS CLEANER PL 5 GA SQ	
Product code		:	593902		
	ufacturer or supplier's			LC	
Addı	ress	:	Dallas TX 75225		
Email Address		:	EHS@niteoproducts.com		
Telephone		:	1-844-696-4836		
Eme ber	rgency telephone num-	:	1-800-424-9300 /	/ 1-703-741-5970	
Rec	ommended use of the c	her	nical and restricti	ons on use	
Reco	ommended use	:	CLEANER		
Rest	trictions on use	:	Use only outdoor	s or in a well-ventilated area.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids	:	Category 2
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation.

May cause drowsiness or dizziness.



ersion)	Revision Date: 09/06/2018	SDS Number: 60000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
Preca	utionary statements	Prevention:	
		smoking. Keep container Ground/bond c Use explosion- Use only non-s Take precautio Avoid breathing Wash skin thor Use only outdo	ontainer and receiving equipment. proof electrical/ ventilating/ lighting equipment.
		Response:	
		clothing. Rinse IF INHALED: R for breathing. C IF IN EYES: Ri Remove contac rinsing. If skin irritation If eye irritation Take off contar	hair): Take off immediately all contaminated skin with water/shower. The move person to fresh air and keep comfortable Call a POISON CENTER/doctor if you feel unwell nse cautiously with water for several minutes. In the cautiously with water for several minutes. It lenses, if present and easy to do. Continue occurs: Get medical advice/ attention. persists: Get medical advice/ attention. ninated clothing and wash before reuse. Use dry sand, dry chemical or alcohol-resistant uish.
		Storage:	
			ventilated place. Keep container tightly closed. ventilated place. Keep cool. o.
		Disposal:	
		Dispose of con plant.	tents/ container to an approved waste disposal
Other	hazards		
None	known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Concentration (% w/w)
67-63-0	>= 30 - < 50
111-76-2	>= 20 - < 30
	67-63-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice

Move out of dangerous area. Show this safety data sheet to the doctor in attendance.



Version 2.0	Revision Date: 09/06/2018	SDS Number: 600000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
		Do not leav	ve the victim unattended.
lf inh	aled	well. If unconsci advice. Keep patie	esh air. D: Call a POISON CENTER/ doctor if you feel un- ous, place in recovery position and seek medical nt warm and at rest. Is persist, call a physician.
In ca	se of skin contact	Remove co ical attentio If on skin, i Wash cont	es, remove clothes. ontaminated clothing. If irritation develops, get med- on. rinse well with water. aminated clothing before re-use. tion persists, call a physician.
In ca	se of eye contact	Remove co Protect unl Keep eye v	ly flush eye(s) with plenty of water. ontact lenses. narmed eye. wide open while rinsing. tion persists, consult a specialist.
lf swa	allowed	Never give	e milk or alcoholic beverages. anything by mouth to an unconscious person. Is persist, call a physician.
	important symptoms effects, both acute and red		in irritation. rious eye irritation. drowsiness or dizziness.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2) Dry chemical Alcohol-resistant foam
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.



Version	Revision Date:	SDS Number:	Date of last issue: 05/06/2018
2.0	09/06/2018	6000000037	Date of first issue: 05/23/2016

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation. Avoid breathing dust. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Evacuate personnel to safe areas. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precau- tions may be necessary to dissipate static electricity for non- conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protec- tion Association document NFPA 77. Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment. Do not spray on a naked flame or any incandescent material.
Advice on safe handling :	Open drum carefully as content may be under pressure. Avoid formation of aerosol. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Take precautionary measures against static discharges. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and national regulations. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the ap- plication area. For personal protection see section 8.



Version 2.0	Revision Date: 09/06/2018	SDS Num 60000000	
Cc	onditions for safe storage	place. Contai kept u	container tightly closed in a dry and well-ventilated ners which are opened must be carefully resealed and oright to prevent leakage. ve label precautions. oking.
	rther information on stor- e stability	: No dec	composition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
Ethylene glycol monobutyl ether	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

Components with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Isopropanol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI
Ethylene glycol mono- butyl ether	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI



Version 2.0	Revision Date: 09/06/2018		DS Number: 0000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
Enç	Engineering measures		ventilation to mair	mechanical (general and/or local exhaust) ntain exposure below exposure guidelines (if ow levels that cause known, suspected or effects.
Per	sonal protective equipm	nent		
Res	piratory protection	:	In the case of vap proved filter.	our formation use a respirator with an ap-
Har	nd protection			
I	Remarks	:	er). The suitability cussed with the p	oves (consult your safety equipment suppli- of for a specific workplace should be dis- roducers of the protective gloves. Discard tears, pinholes, or signs of wear.
Eye	Eye protection		Wear chemical splash goggles when there is the potentia exposure of the eyes to liquid, vapor or mist.	
Skir	n and body protection	:		ng
Нус	iene measures	:	Handle in accorda practice. When using do no When using do no	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	green
Odour	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	82.5 °C (1,013 hPa)
Flash point	:	The value is calculated 14 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available



Ver 2.0	sion	Revision Date: 09/06/2018		S Number: 0000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
		explosion limit / Upper ability limit	:	12 %(V) The value is calc	ulated
	Lower explosion limit / Lower flammability limit		:	1.1 %(V) The value is calc	ulated
	Vapou	rpressure	:	60.53 hPa (25 °C The value is calc	
	Density	/	:	0.884 g/cm3	
	Solubil Wat	ity(ies) ter solubility	:	No data available	9
	Partitio octano	n coefficient: n- I/water	:	No data available	
	Viscosi Visc	ity cosity, dynamic	:	No data available	9
	Viso	cosity, kinematic	:	No data available)
	Oxidizi	ng properties	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Acids Aldehydes Aluminium Amines Ammonia Bases chlorates Chlorates Chlorine Ethylene oxide Halogenated compounds halogens isocyanates salts of strong bases Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides

_



Car Brite[™] SELECT GLASS CLEANER

Version	Revision Date:	SDS Number:	Date of last issue: 05/06/2018
2.0	09/06/2018	60000000037	Date of first issue: 05/23/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Eye contact Ingestion				
Acute toxicity Not classified based on availa	ahle	information		
Product:	1010			
Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method		
Acute inhalation toxicity	:	Acute toxicity estimate: 52.17 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method		
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method		
Components:				
Isopropanol:				
Acute oral toxicity	:	LD50 (Rat): 5.84 g/kg		
Acute inhalation toxicity	:	LC50 (Rat): 16000 ppm Exposure time: 4 h Test atmosphere: vapour		
Acute dermal toxicity	:	LD50 (Rabbit): 12,800 mg/kg		
Ethylene glycol monobutyl	eth	er:		
Acute oral toxicity	:			
Acute inhalation toxicity	:	LC50 (Guinea pig): > 633 ppm Exposure time: 1 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation.		
Acute dermal toxicity	:	LD50 (Guinea pig): > 2,000 mg/kg Assessment: The component/mixture is moderately toxic after single contact with skin.		

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.



sion	Revision Date: 09/06/2018	SDS Number: 60000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
Comp	oonents:		
-	opanol: t: Possibly irritating to	skin	
-	ene glycol monobut t: Irritating to skin.	yl ether:	
	us eye damage/eye es serious eye irritatic		
<u>Produ</u> Rema		use irritation to the eye	s, respiratory system and the skin.
<u>Com</u>	oonents:		
-	opanol: t: Irritating to eyes.		
Resul	ene glycol monobut t: Irritating to eyes. ssment: Irritating to ey	-	
Resp	iratory or skin sensi	tisation	
-	sensitisation assified based on ava	ailable information.	
-	iratory sensitisation assified based on ava		
	cell mutagenicity assified based on ava	ailable information.	
<u>Comp</u>	<u>oonents:</u>		
-	ene glycol monobut toxicity in vitro	: Test Type: Am Test system: S	almonella typhimurium ation: with and without metabolic activatic
Carci	nogenicity		
Not cl IARC	assified based on ava	No component of	this product present at levels greater thar dentified as probable, possible or confirme n by IARC.
OSH	Α		this product present at levels greater thar n OSHA's list of regulated carcinogens.
NTP			this product present at levels greater thar



Version 2.0	Revision Date: 09/06/2018	SDS Number: 60000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016			
		by NTP.				
-	roductive toxicity	ailable information.				
	T - single exposure cause drowsiness or c	dizziness.				
Com	<u>iponents:</u>					
-	ropanol: essment: May cause di	rowsiness or dizziness				
	T - repeated exposur					
-	Aspiration toxicity Not classified based on available information.					
Proc	luct:					
No a	spiration toxicity class	ification				
Furt	her information					
		erexposure may be he	adache, dizziness, tiredness, nausea and vom-			
SECTION	N 12. ECOLOGICAL IN	NFORMATION				
SECTION	13. DISPOSAL CON	SIDERATIONS				

Disposal methods

Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR



Version 2.0	Revision Date: 09/06/2018		DS Number: 0000000037	Date of last issue: 05/06/2018 Date of first issue: 05/23/2016
UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)		: : : : : : : : : : : : : : : : : : : :	UN 1219 Isopropanol Mixtu 3 II 3 364 353	ıre
Class Packing Labels EmS Co Marine	nber shipping name g group ode pollutant	:	UN 1219 ISOPROPANOL I 3 II 3 F-E, S-D no	MIXTURE

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR UN/ID/NA number Proper shipping name	: UN 1219 : Isopropanol Mixture
Class	: 3
Packing group	: II
Labels	: 3
ERG Code	: 129
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.




Version	Revision Date:
2.0	09/06/2018

SDS Number: 60000000037

Date of last issue: 05/06/2018 Date of first issue: 05/23/2016

SECTION 16. OTHER INFORMATION



Revision Date

: 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN