

**Car Brite™ BUTTER WAX™ Liquid Wax**

Version            Revision Date:            SDS Number:            Date of last issue: 09/06/2018  
2.1                06/24/2019                600000001077            Date of first issue: 08/22/2017

---

**SECTION 1. IDENTIFICATION**

Product name                                : BUTTER WAX 4/1 GA- NEW

Product code                                : CBOOA007I03

**Manufacturer or supplier's details**

Company name of supplier                : Niteo Products, LLC

Address                                        : Dallas TX 75225

Email Address                                : EHS@niteoproducts.com

Telephone                                    : 1-844-696-4836

Emergency telephone number            : 1-800-424-9300 / 1-703-741-5970

**Recommended use of the chemical and restrictions on use**

Recommended use                            : WAX

Restrictions on use                         : Use only outdoors or in a well-ventilated area.

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Flammable liquids                         : Category 4

Specific target organ toxicity            : Category 3 (Central nervous system)  
- single exposure

**GHS label elements**

Hazard pictograms                         :



Signal word                                 : Warning

Hazard statements                         : Combustible liquid.  
May cause drowsiness or dizziness.

Precautionary statements                : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Use only outdoors or in a well-ventilated area.

**Car Brite™ BUTTER WAX™ Liquid Wax**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2018
2.1	06/24/2019	600000001077	Date of first issue: 08/22/2017

Wear protective gloves/ eye protection/ face protection.

**Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.  
Store in a well-ventilated place. Keep cool.  
Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**
**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum)	64742-48-9	>= 10 - < 20
Naphtha (petroleum)	64742-96-7	>= 5 - < 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

---

**SECTION 4. FIRST AID MEASURES**

- |                         |   |   |
|-------------------------|---|---|
| General advice          | : | Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| If inhaled              | : | Move to fresh air.<br>Consult a physician after significant exposure.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.  |
| In case of skin contact | : | If on clothes, remove clothes.<br>Remove contaminated clothing. If irritation develops, get medical attention.<br>If on skin, rinse well with water.<br>Wash contaminated clothing before re-use.<br>If skin irritation persists, call a physician. |
| In case of eye contact  | : | Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.  |
| If swallowed            | : | Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.  |

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.1      Revision Date: 06/24/2019      SDS Number: 600000001077      Date of last issue: 09/06/2018  
Date of first issue: 08/22/2017

---

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : May cause drowsiness or dizziness.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Avoid breathing dust.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against : Electrically bond and ground all containers, personnel and
-

**Car Brite™ BUTTER WAX™ Liquid Wax**

Version 2.1      Revision Date: 06/24/2019      SDS Number: 600000001077      Date of last issue: 09/06/2018  
 Date of first issue: 08/22/2017

- fire and explosion      equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.  
 Keep away from open flames, hot surfaces and sources of ignition.  
 Do not spray on a naked flame or any incandescent material.
- Advice on safe handling      :    Avoid formation of aerosol.  
 Provide sufficient air exchange and/or exhaust in work rooms.  
 Do not breathe vapours/dust.  
 Do not smoke.  
 Avoid contact with skin and eyes.  
 Dispose of rinse water in accordance with local and national regulations.  
 Container hazardous when empty.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.
- Conditions for safe storage      :    Keep container tightly closed in a dry and well-ventilated place.  
 Observe label precautions.  
 No smoking.
- Further information on storage stability      :    No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Naphtha (petroleum)	64742-48-9	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0

**Hazardous components without workplace control parameters**

Components	CAS-No.
Naphtha (petroleum)	64742-96-7

- Engineering measures**      :    Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

- Respiratory protection      :    In the case of vapour formation use a respirator with an approved filter.

Hand protection

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.1      Revision Date: 06/24/2019      SDS Number: 600000001077      Date of last issue: 09/06/2018  
Date of first issue: 08/22/2017

---

- Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Safety shoes
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.
- 

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : cream
- Colour : yellow
- Odour : fruity
- Odour Threshold : No data available
- pH : 8 - 9
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : > 61 °C
- Evaporation rate : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Relative density : 0.983 (25 °C)
- Density : No data available

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.1      Revision Date: 06/24/2019      SDS Number: 600000001077      Date of last issue: 09/06/2018  
Date of first issue: 08/22/2017

---

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : > 7000 mm<sup>2</sup>/s (40 °C)

Molecular weight : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Carbon oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Eye contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Naphtha (petroleum):**

Acute oral toxicity : LD50 (Rat): > 2,001 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,001 mg/kg

---

**Car Brite™ BUTTER WAX™ Liquid Wax**

Version 2.1      Revision Date: 06/24/2019      SDS Number: 600000001077      Date of last issue: 09/06/2018  
Date of first issue: 08/22/2017

---

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks: May irritate skin.

**Components:**

**Naphtha (petroleum):**

Result: Mild skin irritation

**Naphtha (petroleum):**

Assessment: Irritating to skin.

Remarks: slight irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

**Components:**

**Naphtha (petroleum):**

Assessment: No eye irritation

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:**

**Naphtha (petroleum):**

Result: Not a skin sensitizer.

**Naphtha (petroleum):**

Exposure routes: Dermal

Assessment: Does not cause skin sensitisation.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**Naphtha (petroleum):**

Genotoxicity in vitro : Test Type: in vitro assay  
Result: negative





# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.1      Revision Date: 06/24/2019      SDS Number: 600000001077      Date of last issue: 09/06/2018  
Date of first issue: 08/22/2017

---

iting.

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Toxicity

Additional ecological information : No data available

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

Not regulated as a dangerous good

##### 49 CFR

Not regulated as a dangerous good

---

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

# SAFETY DATA SHEET



## Car Brite™ BUTTER WAX™ Liquid Wax

Version 2.1      Revision Date: 06/24/2019      SDS Number: 600000001077      Date of last issue: 09/06/2018  
Date of first issue: 08/22/2017

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



Revision Date : 06/24/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN