

Version 3.0	Revision Date: 06/14/2019		DS Number: 00000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016			
SECTION	SECTION 1. IDENTIFICATION						
Product name		:	OMNI BRITE PL	5 GA			
Produ	uct code	:	780508				
Manufacturer or supplier's o			<b>ails</b> Niteo Products, L	10			
	Address		Dallas TX 75225				
Email	Email Address		EHS@niteoproducts.com				
Telep	Telephone		1-844-696-4836				
Emer ber	Emergency telephone num- ber		1-800-424-9300 /	1-703-741-5970			
Recommended use of the c			nical and restriction	ons on use			
Restrictions on use		:		s or in a well-ventilated area.			

#### SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accor Skin corrosion	dar :	ce with 29 CFR 1910.1200 Category 1B
Serious eye damage	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	Causes severe skin burns and eye damage.
Precautionary statements	:	<b>Prevention:</b> Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b>



rsion	Revision Date: 06/14/2019	SDS Number: 600000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016		
		IF ON SKIN (o clothing. Rinse IF INHALED: F for breathing. I IF IN EYES: Ri Remove conta rinsing. Immed	ED: Rinse mouth. Do NOT induce vomiting. r hair): Take off immediately all contaminated skin with water/shower. Remove person to fresh air and keep comfortabl mmediately call a POISON CENTER/doctor. inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue iately call a POISON CENTER/doctor. nated clothing before reuse.		
		Storage:			
		Store locked up.			
		Disposal:			
		Dispose of con plant.	tents/ container to an approved waste disposal		
Othe	r hazards				
None	known.				

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3
Sodium metasilicate	6834-92-0	>= 1 - < 3
Sodium 3-[(2-	14960-06-6	>= 1 - < 3
carboxyethyl)(dodecyl)amino]propanoate		
Sodium hydroxide	1310-73-2	>= 1 - < 3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### **SECTION 4. FIRST AID MEASURES**

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	Take off contaminated clothing and shoes immediately. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



Version 3.0	Revision Date: 06/14/2019	SDS Number: 600000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
		Remove cont Protect unhar	
If swallowed		Do NOT indu Rinse mouth Do not give m Never give ar	0
	t important symptoms effects, both acute and yed	: Causes serio Causes seve	us eye damage. re burns.

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides Sodium oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable local, state and federal regulations.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform



Vers 3.0	sion	Revision Date: 06/14/2019		9S Number: 0000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
				respective authori	ties.
Methods and materials for containment and cleaning up		:	: Keep in suitable, closed containers for disposal.		
SEC	CTION 7	. HANDLING AND ST	OR/	AGE	
		on protection against l explosion	:	Normal measures	for preventive fire protection.
	Advice on safe handling		:	Do not breathe vapours/dust. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and natio regulations. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the plication area. For personal protection see section 8.	
	Conditi	ons for safe storage	<ul> <li>Keep container tightly closed in a dry and well-v place.</li> <li>Containers which are opened must be carefully kept upright to prevent leakage.</li> <li>Observe label precautions.</li> </ul>		are opened must be carefully resealed and event leakage.
	Further age sta	information on stor- bility	:	No decomposition	if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
Potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0
Sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0

### Hazardous components without workplace control parameters

Components	CAS-No.
Alcohols, C9-11, ethoxylated	68439-46-3
Sodium metasilicate	6834-92-0
Sodium 3-[(2-	14960-06-6
carboxyeth-	



Version 3.0	Revision Date: 06/14/2019		DS Number: 00000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
yl)(de	odecyl)amino]propanoate	е		
Engi	Engineering measures		Provide sufficient mechanical (general and/or local exhaus ventilation to maintain exposure below exposure guideline applicable) or below levels that cause known, suspected o apparent adverse effects.	
Pers	sonal protective equipm	nent		
Hand	d protection			
R	emarks	:	er). The suitability cussed with the p	oves (consult your safety equipment suppli- / for a specific workplace should be dis- producers of the protective gloves. Discard tears, pinholes, or signs of wear.
Eye	Eye protection			blash goggles and face shield when there is sure of the eyes or face to liquid, vapor or
Skin	Skin and body protection		Choose body protection according to the amount and cor centration of the dangerous substance at the work place. Wear as appropriate: Impervious clothing Safety shoes Remove and wash contaminated clothing before re-use.	
Prote	ective measures	: When using do not eat, drink or smoke. Wear suitable protective equipment.		
Hygi	ene measures	:	Handle in accorda practice. When using do no When using do no	

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	not determined
рН	:	12 - 14
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available



Vers 3.0	sion	Revision Date: 06/14/2019		S Number: 0000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
	Flamm	ability (solid, gas)	:	No data available	
	Self-ig	nition	:	No data available	)
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	31.99 hPa (25 °C The value is calc	
	Relative	e vapour density	:	No data available	)
	Density	,	:	1.051 g/cm3	
	Solubili Wat	ty(ies) er solubility	:	No data available	)
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Decom	position temperature	:	not determined	
	Viscosi Visc	ty cosity, dynamic	:	No data available	
	Visc	osity, kinematic	:	No data available	
	Molecu	lar weight	:	No data available	)

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Acids Aluminium aluminum salts Copper Copper alloys Halogenated compounds Lead Metals organic nitro compounds Strong bases Strong oxidizing agents



ersion 0	Revision Date: 06/14/2019	SDS Num 60000000	
		Tin Zinc	
Haza produ	rdous decomposition		on oxides um oxides
ECTION	11. TOXICOLOGICAL	. INFORMAT	ION
Infori	nation on likely route	s of exposu	ire
	contact ontact		
Acute	e toxicity lassified based on avai	lable informa	ation.
Produ	uct:		
Acute	oral toxicity		toxicity estimate: > 5,000 mg/kg d: Calculation method
		Remar	rks: Causes digestive tract burns.
<u>Com</u>	oonents:		
Alcoh	nols, C9-11, ethoxylat	ed:	
Acute	oral toxicity	: LD50 (	(Rat): 500 - 2,000 mg/kg
Acute	dermal toxicity	: LD50 (	(Rabbit): > 5 g/kg
Sodiu	um metasilicate:		
Acute	oral toxicity	: LD50 (	(Rat): 1,153 mg/kg
	um 3-[(2-carboxyethy		
Acute	oral toxicity	: LD50 (	(Rat): 31,300 mg/kg
Acute	dermal toxicity	: LD50 (	(Rabbit): > 5,000 mg/kg
Sodiu	ım hydroxide:		
Acute	oral toxicity	: LDLo (	(Rabbit): 500 mg/kg
-	corrosion/irritation		
	es severe burns.		
Prod			
	arks: Causes severe sk eeling of irritation or pa		
Math	nd: OECD Test Guideli	no 405	

Method: OECD Test Guideline 435 Result: Corrosive after 3 minutes to 1 hour of exposure



Version	Revision Date:	SDS Number:
3.0	06/14/2019	60000000179

Date of last issue: 09/06/2018 Date of first issue: 05/23/2016

#### **Components:**

Alcohols, C9-11, ethoxylated: Result: Mild skin irritation

### Sodium metasilicate:

Result: Causes burns.

**Sodium 3-[(2-carboxyethyl)(dodecyl)amino]propanoate:** Result: Irritating to skin.

**Sodium hydroxide:** Result: Corrosive after 3 minutes or less of exposure

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks: May cause irreversible eye damage.

#### **Components:**

Alcohols, C9-11, ethoxylated: Result: Irreversible effects on the eye

#### Sodium metasilicate:

Result: Irreversible effects on the eye Assessment: Corrosive

**Sodium 3-[(2-carboxyethyl)(dodecyl)amino]propanoate:** Result: Irreversible effects on the eye

Sodium hydroxide: Result: Corrosive

#### Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

**Respiratory sensitisation** Not classified based on available information.

#### **Components:**

**Sodium 3-[(2-carboxyethyl)(dodecyl)amino]propanoate:** Assessment: Did not cause sensitisation on laboratory animals.

### SAFETY DATA SHEET



## OMNI BRITE Concentrated Heavy Duty General Purpose Cleaner

Version 3.0	Revision Date: 06/14/2019	SDS Number: 600000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
Expo Spec	<b>um hydroxide:</b> osure routes: Skin contac cies: Humans ult: negative	ct	
	n cell mutagenicity		
Not o	classified based on avail	able information.	
Com	ponents:		
Sodi	um 3-[(2-carboxyethyl)	(dodecyl)amino]pro	panoate:
Geno	otoxicity in vitro	: Remarks: In vitr	o tests did not show mutagenic effects
Caro	inogenicity		
	classified based on avail	No component of t	his product present at levels greater than or entified as probable, possible or confirmed by IARC.
OSH	A		his product present at levels greater than or n OSHA's list of regulated carcinogens.
NTP			his product present at levels greater than or entified as a known or anticipated carcinogen
-	roductive toxicity classified based on avail	able information	
	T - single exposure		
	classified based on avail	able information.	
Com	ponents:		
	<b>um metasilicate:</b> essment: May cause resp	biratory irritation.	
	T - repeated exposure classified based on avail	able information.	

#### Aspiration toxicity

Not classified based on available information.

#### **Further information**

Product:

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.



Version 3.0	Revision Date: 06/14/2019		DS Number: 00000000179	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
			Harmful to aqu	atic life.
SECTION	13. DISPOSAL CON	SIDEF	RATIONS	
Disp	osal methods			
Wast	e from residues	:	Dispose of in a federal regulation	ccordance with all applicable local, state and ons.
Conta	aminated packaging	:	•	ng contents. unused product. empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **International Regulations**

IAT A-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft)	<ul> <li>: UN 1719</li> <li>: CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE)</li> <li>: 8</li> <li>: 11</li> <li>: 8</li> <li>: 8</li> <li>: 855</li> </ul>
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	<ul> <li>UN 1719</li> <li>CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE)</li> <li>8</li> <li>II</li> <li>8</li> <li>F-A, S-B</li> <li>no</li> </ul>
Transport in bulk according Not applicable for product as	to Annex II of MARPOL 73/78 and the IBC Code supplied.
National Regulations	
<b>49 CFR</b> UN/ID/NA number Proper shipping name Class Packing group Labels ERG Code	<ul> <li>UN 1719</li> <li>CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE)</li> <li>8</li> <li>II</li> <li>8</li> <li>154</li> </ul>



Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2018	
3.0	06/14/2019	60000000179	Date of first issue: 05/23/2016	
Marin	ne pollutant	: no		

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

CAS-No.	Component RQ	Calculated product RQ
	(lbs)	(lbs)
1310-73-2	1000	*
		(lbs)

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

		Calculated product RQ
	(lbs)	(lbs)
Ethylene Oxide 75-21-8	10	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


#### California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-Dioxane, Ethylene Oxide, which is/are known to the State of California to cause cancer, and Ethylene Oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2018
3.0	06/14/2019	60000000179	Date of first issue: 05/23/2016

#### **SECTION 16. OTHER INFORMATION**



Revision Date : 06/14/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN