

Version 3.0	Revision Date: 06/13/2019		DS Number: 00000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016			
SECTIC	SECTION 1. IDENTIFICATION						
Pro	duct name	:	CB SELECT EXT	R/INTER CLNR/DGR PL 5 GA SQ			
Pro	duct code	:	593835				
Manufacturer or supplier's of Company name of supplier				LC			
Ade	Address		Dallas TX 75225				
Em	Email Address		EHS@niteoproducts.com				
Tel	ephone	:	1-844-696-4836				
	Emergency telephone num- ber		1-800-424-9300 / 1-703-741-5970				
Recommended use of the chemical and restrictions on use							
Re	commended use	:	DEGREASER				
Restrictions on use		:	Use only outdoor	s or in a well-ventilated area.			

#### SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200         Skin corrosion       : Category 1				
Serious eye damage	:	Category 1		
GHS label elements	_			
Hazard pictograms	:			
Signal word	:	Danger		
Hazard statements	:	Causes severe skin burns and eye damage.		
Precautionary statements	:	<b>Prevention:</b> Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b>		



rsion )	Revision Date: 06/13/2019	SDS Number: 60000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016	
		IF ON SKIN (o clothing. Rinse IF INHALED: F for breathing. I IF IN EYES: R Remove conta rinsing. Immed	ED: Rinse mouth. Do NOT induce vomiting. r hair): Take off immediately all contaminated skin with water/shower. Remove person to fresh air and keep comfortable mmediately call a POISON CENTER/doctor. inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue liately call a POISON CENTER/doctor. nated clothing before reuse.	
		<b>Storage:</b> Store locked u	D.	
		Disposal:		
		Dispose of contents/ container to an approved waste d plant.		
Othe	r hazards			
	known.			

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3
Sodium metasilicate	6834-92-0	>= 1 - < 3
Sodium 3-[(2-	14960-06-6	>= 1 - < 3
carboxyethyl)(dodecyl)amino]propanoate		
Sodium hydroxide	1310-73-2	>= 1 - < 3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



Version 3.0	Revision Date: 06/13/2019	SDS Number: 600000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
		Remove conta Protect unharr	
If swallowed		Do NOT induc Rinse mouth w Do not give mi Never give any	0
	important symptoms effects, both acute and /ed	: Causes seriou Causes severe	, ,

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

#### SAFETY DATA SHEET



# Car Brite<sup>™</sup> SELECT EXTERIOR INTERIOR CLEANER/DEGREASER

Vers 3.0	sion	Revision Date: 06/13/2019		DS Number: 0000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
		ds and materials for ment and cleaning up	:	Keep in suitable,	closed containers for disposal.
SEC	CTION 7	. HANDLING AND ST	OR	AGE	
		on protection against d explosion	:	Normal measures	for preventive fire protection.
	Advice	on safe handling	:	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and natic regulations. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the plication area. For personal protection see section 8.</li> </ul>	
	Condit	ions for safe storage	:	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed kept upright to prevent leakage.</li> <li>Observe label precautions.</li> </ul>	
	Furthe age sta	r information on stor- ability	:	No decomposition	n if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0

#### Hazardous components without workplace control parameters

Components	CAS-No.
Alcohols, C9-11, ethoxylated	68439-46-3
Sodium metasilicate	6834-92-0
Sodium 3-[(2-	14960-06-6
carboxyeth-	
yl)(dodecyl)amino]propanoate	

#### Engineering measures

: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.



Version 3.0	Revision Date: 06/13/2019		DS Number: 0000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016		
	sonal protective equipn	nent				
Remarks		:	Wear resistant gloves (consult your safety equipment suppli- er). The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.			
Eye	Eye protection		Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.			
Skin and body protection		:	Choose body protection according to the amount and con- centration of the dangerous substance at the work place. Wear as appropriate: Impervious clothing Safety shoes Remove and wash contaminated clothing before re-use.			
Hygi	ene measures	:	Handle in accorda practice. When using do no When using do no			

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	dark yellow
Odour	:	No data available
рН	:	13.1
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	(1,013.33 hPa)
Flash point	:	The value is calculated Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	31.99 hPa (25 °C)



Version 3.0	Revision Date: 06/13/2019	SDS Number: 60000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
		The value is o	calculated
Densi	ty	: 1.051 g/cm3	(20 °C)
Wa Partiti	ility(ies) ater solubility on coefficient: n- ol/water	: No data avail : No data avail	
Visco: Vis	sity scosity, dynamic	: No data avail	able
Vis	scosity, kinematic	: No data avail	able
Oxidiz	zing properties	: No data avail	able
SECTION	10. STABILITY AND	REACTIVITY	
React	livity	: No dangerou	s reaction known under conditions of normal use.

· · · · · · · · · · · · · · · · · · ·		
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.
Conditions to avoid	:	Exposure to sunlight. Exposure to moisture
Incompatible materials	:	Acids Aluminium aluminum salts Copper Copper alloys Halogenated compounds Lead Metals organic nitro compounds Strong bases Strong oxidizing agents Tin water Zinc
Hazardous decomposition	:	Carbon oxides

products

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Eye contact Ingestion



/ersion 8.0	Revision Date: 06/13/2019	SDS Number: 60000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016
Acute	e toxicity		
	assified based on ava	ailable information.	
<u>Produ</u> Acute	<u>uct:</u> oral toxicity	: Remarks: Cau	ises digestive tract burns.
			estimate: > 5,000 mg/kg Ilation method
Comp	oonents:		
Alcoh	nols, C9-11, ethoxyla	ited:	
Acute	oral toxicity	: LD50 (Rat): 50	00 - 2,000 mg/kg
Acute	dermal toxicity	: LD50 (Rabbit)	: > 5 g/kg
Sodiu	ım metasilicate:		
Acute	oral toxicity	: LD50 (Rat): 1,	153 mg/kg
		/l)(dodecyl)amino]pr	-
Acute	oral toxicity	: LD50 (Rat): 3 <sup>-</sup>	1,300 mg/kg
Acute	dermal toxicity	: LD50 (Rabbit)	: > 5,000 mg/kg
Sodiu	ım hydroxide:		
Acute	oral toxicity	: LDLo (Rabbit)	: 500 mg/kg
	corrosion/irritation es severe burns.		
Produ	uct:		
	arks: Causes severe s eeling of irritation or p	kin burns and eye daı ain may be delayed.	nage.
<u>Comp</u>	oonents:		
	<b>t:</b> Mild skin irritation	ted:	
	um metasilicate: t: Causes burns.		
	um 3-[(2-carboxyeth) t: Irritating to skin.	yl)(dodecyl)amino]pr	opanoate:
	<b>im hydroxide:</b> t: Corrosive after 3 m	inutes or less of expo	sure



Version	Revision Date:	SDS Number:
3.0	06/13/2019	60000000296

Date of last issue: 09/06/2018 Date of first issue: 05/23/2016

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks: May cause irreversible eye damage.

#### Components:

#### Alcohols, C9-11, ethoxylated:

Result: Irreversible effects on the eye

#### Sodium metasilicate:

Result: Irreversible effects on the eye Assessment: Corrosive

#### Sodium 3-[(2-carboxyethyl)(dodecyl)amino]propanoate:

Result: Irreversible effects on the eye

#### Sodium hydroxide:

**Result: Corrosive** 

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

#### Sodium 3-[(2-carboxyethyl)(dodecyl)amino]propanoate:

Assessment: Did not cause sensitisation on laboratory animals.

#### Sodium hydroxide:

Exposure routes: Skin contact Species: Humans Result: negative

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### Sodium 3-[(2-carboxyethyl)(dodecyl)amino]propanoate:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

#### Carcinogenicity

Not classified based on available information. IARC No component of this product present at levels greater than or

Waste from residues



# Car Brite<sup>™</sup> SELECT EXTERIOR INTERIOR CLEANER/DEGREASER

Version 3.0	Revision Date: 06/13/2019	SDS Number: 60000000296	Date of last issue: 09/06/2018 Date of first issue: 05/23/2016			
		equal to 0.1% is in human carcinoge	dentified as probable, possible or confirmed n by IARC.			
OSH	OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.					
NTP			No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
-	oductive toxicity	ailable information.				
STO	T - single exposure					
Not c	lassified based on ava	ailable information.				
Com	ponents:					
Sodi	um metasilicate:					
Asse	ssment: May cause re	espiratory irritation.				
	<b>T - repeated exposur</b> classified based on ava					
•	ration toxicity classified based on ava	ailable information.				
<u>Prod</u>	uct:					
No as	spiration toxicity class	ification				
Furth	ner information					
<u>Prod</u> Rema	l <mark>uct:</mark> arks: No data availabl	е				
SECTION	12. ECOLOGICAL IN	FORMATION				
	<b>city</b> ional ecological nation		ntal hazard cannot be excluded in the event of handling or disposal. atic life.			
RECTION						
SECTION	13. DISPOSAL CON	SIDERATIONS				
Disp	osal methods					

		federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.

: Dispose of in accordance with all applicable local, state and



Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2018
3.0	06/13/2019	60000000296	Date of first issue: 05/23/2016

Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **International Regulations**

:	UN 1719
:	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE)
:	8
:	II
:	8
:	855
:	851
•	UN 1719
	CAUSTIC ALKALI LIQUID, N.O.S.
•	(SODIUM HYDROXIDE, SODIUM METASILICATE)
:	8
:	
:	8
:	F-A, S-B
:	no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

49 CFR	
UN/ID/NA number	: UN 1719
Proper shipping name	: CAUSTIC ALKALI LIQUID, N.O.S.
	(SODIUM HYDROXIDE, SODIUM METASILICATE)
Class	: 8
Packing group	: 11
Labels	: 8
ERG Code	: 154
Marine pollutant	: no

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)




Version 3.0	Revision Date: 06/13/2019	SDS Number: 60000000296	Date of last issue: Date of first issue:	
Sodiu	ım hydroxide	1310-73-2	1000	*
*: Ca	culated RQ exceeds r	easonably attainable ι	upper limit.	
SAR	A 304 Extremely Haza	ardous Substances <b>F</b>	Reportable Quantity	
Com	oonents	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ethyle	ene Oxide	75-21-8	10	*
*: Ca	culated RQ exceeds r	easonably attainable ι	ıpper limit.	
SAR	A 302 Extremely Haza	ardous Substances T	hreshold Planning Q	uantity
This I	material does not cont	ain any components w	ith a section 302 EHS	TPQ.
SAR	A 311/312 Hazards	: Skin corrosion Serious eye da	or irritation mage or eye irritation	
SAR	A 313	known CAS nu		emical components with threshold (De Minimis) Title III, Section 313.

#### California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-Dioxane, Ethylene Oxide, which is/are known to the State of California to cause cancer, and Ethylene Oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16. OTHER INFORMATION**



Revision Date : 06/13/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-



Version	Revision Date:	SDS Number:
3.0	06/13/2019	60000000296

Date of last issue: 09/06/2018 Date of first issue: 05/23/2016

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN