Printing date 03/11/2019

Reviewed on 03/11/2019

# **1** Identification

- · Product identifier
- · Trade name: PRO GOLD
- Article number: P-34
- · Application of the substance / the mixture Lustre

#### · Details of the supplier of the safety data sheet

- Manufacturer/Supplier: BAF Industries 8010 Dixie Highway Florence, KY 41042 USA Phone:859-372-5900
- · Information department: msds\_info@prowax.com
- Emergency Telephone Number: ChemTrec: 800-424-9300 Outside USA 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



Flammable liquid and vapor.

- · Label elements
- · GHS label elements
- *The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



- · Signal word Warning
- · Hazard statements
- Flammable liquid and vapor.
- · Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective alows/protective clothing/ope protection/face protection
- Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray.
- Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB**: Not applicable.

(Contd. on page 2)

Printing date 03/11/2019

Reviewed on 03/11/2019

#### Trade name: PRO GOLD

(Contd. of page 1)

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

# · Dangerous components:

0	•	
64742-88-7	medium aliphatic hydrocarbon	2.5-10%
1332-58-7	Kaolin	2.5-10%
64742-47-8	Distillates (petroleum), hydrotreated light	2.5-10%
	emulsifier detergent blend	≤2.5%

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
   No dangerous substances are released.
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

(Contd. on page 3)

USA

Printing date 03/11/2019

Reviewed on 03/11/2019

#### Trade name: PRO GOLD

(Contd. of page 2)

# 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

#### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 1332-58-7 Kaolin

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction

- REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction
- *TLV* Long-term value: 2\* mg/m<sup>3</sup> E; as respirable fraction

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

USA

(Contd. of page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2019

Reviewed on 03/11/2019

· Eye protection:



\*

Tightly sealed goggles

# 9 Physical and chemical properties

General Information	
Appearance:	
Form:	Liquid
Color:	Orange
Odor:	Solvent-like
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	8.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	42 °C (107.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	210 °C (410 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	0.8 Vol %
Upper:	6 Vol %
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	0.9862 g/cm³ (8.2298 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic at 20 °C (68 °F):	6,800 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	16.5 %
Water:	65.2 %
VOC content:	9.91 %
	97.7 g/l / 0.82 lb/gal
Solids content:	13.6 %
	(Contd. on page

Printing date 03/11/2019

Reviewed on 03/11/2019

(Contd. of page 4)

Trade name: PRO GOLD

· Other information

No further relevant information available.

# <u>10 Stability and reactivity</u>

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid No further relevant information available.*
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-88-7 medium aliphatic hydrocarbon

*Oral LD50* >6,500 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rab)

Inhalative LC50/4 h >14 mg/l (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing date 03/11/2019

Reviewed on 03/11/2019

Trade name: PRO GOLD

 $(Contd. \ of \ page \ 5)$ 

 $\cdot \textit{Other adverse effects}$  No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:

\*

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

IMDG, IATA       UN1993         UN proper shipping name       COMBUSTIBLE LIQUID, N.O.S (medium aliphati hydrocarbon)         ADR, ADN       Void         IMDG       FLAMMABLE LIQUID, N.O.S.         IATA       FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon)         Transport hazard class(es)       DOT         DOT	· UN-Number	
IMDG, IATA       UN1993         • UN proper shipping name       COMB USTIBLE LIQUID, N.O.S (medium aliphati hydrocarbon)         • DOT       Void         • IMDG       FLAMMABLE LIQUID, N.O.S.         • IMTA       FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon)         • Transport hazard class(es)       -         • DOT       -         • Class       3 Combustible liquids         • Label       3         • Class       3 Combustible liquids         • Label       3         • Class       3 Flammable liquids         • Label       3         • ADR, ADN, IMDG         • Class       3 Flammable liquids         • Label       3         • Oti       -         • Class       3 Flammable liquids         • Label       3         • Oti       -         • Class       3 Flammable liquids         • Label       3         • Oti, IATA       III         • Oti, IATA       No         • Special precautions for user       Not applicable.         • EMS Number:       F-E,S-E         • Transport in bulk according to Annex II of       - <th>·DOT</th> <th>NA1993</th>	·DOT	NA1993
UN proper shipping name       COMBUSTIBLE LIQUID, N.O.S (medium aliphati hydrocarbon)         ADR, ADN       Void         IMDG       FLAMMABLE LIQUID, N.O.S.         IATA       FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon)         Transport hazard class(es)       DOT         DOT       Flammable Liquids         · Class       3 Combustible liquids         · Label       3         · ADR, ADN, IMDG       Void         · Class       3 Flammable liquids         · Label       3         · DOT       Joint         · Class       3 Flammable liquids         · Label       3         · DOT, IATA       III         · DOT, IATA       III         · DOT, IATA       III         · ADR, IMDG       Void         · Class       3 Flammable liquids         · Label       3         · Packing group       Void         · DOT, IATA       III         · ADR, IMDG       Void         · Environmental hazards:       No         · Special precautions for user       Not applicable.         · EMS Number:       Fr-E,S-E         · Transport in bulk according to Annex II of	· ADR, ADN	Void
DOT       COMBUSTIBLE LIQUID, N.O.S (medium aliphati hydrocarbon)         ADR, ADN       Void         IMDG       FLAMMABLE LIQUID, N.O.S.         IATA       FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon)         Transport hazard class(es)       DOT         DOT	· IMDG, IATA	UN1993
hydrocarbon) Void IMDG FLAMMABLE LIQUID, N.O.S. IATA FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon Transport hazard class(es) DOT Class 3 Combustible liquids Label 3 ADR, ADN, IMDG Class Void IATA Void IATA Void IATA Packing group DOT, IATA III ADR, IMDG Void Environmental hazards: Marine pollutant: No Special precautions for user Marine pollutant: No	· UN proper shipping name	
IMDG       FLAMMABLE LIQUID, N.O.S.         IATA       FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon         Transport hazard class(es)       DOT         Image: Dot T       Image: Dot T         Image: Dot T	· DOT	
<ul> <li>IATA FLAMMABLE LĪQUID, N.O.S. (medium aliphatic hydrocarbon</li> <li>Transport hazard class(es)</li> <li>DOT</li> <li>OC</li> <li>Class 3 Combustible liquids</li> <li>Label 3</li> <li>ADR, ADN, IMDG</li> <li>Class Void</li> <li>IATA</li> <li>Void</li> <li>IATA</li> <li>Class 3 Flammable liquids</li> <li>Label 3</li> <li>Packing group</li> <li>DOT, IATA III</li> <li>ADR, IMDG Void</li> <li>Environmental hazards:</li> <li>Marine pollutant: No</li> <li>Special precautions for user Not applicable.</li> <li>EMS Number: F-E,S-E</li> <li>Transport in bulk according to Annex II of</li> </ul>		
<ul> <li>Transport hazard class(es)</li> <li>DOT</li> <li>Class</li> <li>Class</li> <li>Label</li> <li>ADR, ADN, IMDG</li> <li>Class</li> <li>Void</li> <li>IATA</li> <li>Voic</li> <li>IATA</li> <li>Class</li> <li>Secial group</li> <li>DOT, IATA</li> <li>III</li> <li>ADR, IMDG</li> <li>Void</li> <li>Environmental hazards:</li> <li>Marine pollutan:</li> <li>No</li> <li>Special precautions for user</li> <li>Not applicable.</li> <li>F-E,S-E</li> <li>Transport in bulk according to Annex II of</li> </ul>		
· DOT         • Class       3 Combustible liquids         • Label       3         • ADR, ADN, IMDG       3         • Class       Void         • Class       Void         • IATA       Void         • Class       3 Flammable liquids         • Label       3         • Packing group       3         • DOT, IATA       III         • ADR, IMDG       Void         • Environmental hazards:       No         • Marine pollutant:       No         • Special precautions for user       Not applicable.         • EMS Number:       F-E, S-E         • Transport in bulk according to Annex II of       II	·IATA	FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbon
• Class       3 Combustible liquids         • Label       3         • ADR, ADN, IMDG       Void         • Class       Void         • IATA       Void         • Class       3 Flammable liquids         • Label       3         • Class       3 Flammable liquids         • Label       3         • Packing group       3         • DOT, IATA       III         • ADR, IMDG       Void         • Environmental hazards:       No         • Marine pollutant:       No         • Special precautions for user       Not applicable.         • EMS Number:       F-E, S-E         • Transport in bulk according to Annex II of       III	· Transport hazard class(es)	
Label       3         ADR, ADN, IMDG       Void         Class       Void         IATA       Void         • Class       3 Flammable liquids         • Class       3 Flammable liquids         • Class       3 Flammable liquids         • Class       3 Void         • Class       3 Void         • Class       3 Void         • Date       3         • Packing group       Void         • DoT, IATA       III         • ADR, IMDG       Void         • Environmental hazards:       No         • Marine pollutant:       No         • Special precautions for user       Not applicable.         • EMS Number:       F-E, S-E         • Transport in bulk according to Annex II of       Void	·DOT	
· Label       3         · ADR, ADN, IMDG       Void         · Class       Void         · IATA       Void         · Class       3 Flammable liquids         · Label       3         · Packing group       J         · DOT, IATA       III         · ADR, IMDG       Void         · Environmental hazards:       No         · Marine pollutant:       No         · Special precautions for user       Not applicable.         · EMS Number:       F-E,S-E         · Transport in bulk according to Annex II of       I	NAMAN FICE	
· ADR, ADN, IMDG         · Class       Void         · IATA         · Void         · IATA         · Operation         · Class       3 Flammable liquids         · Label       3         · Packing group         · DOT, IATA       III         · ADR, IMDG       Void         · Environmental hazards:       No         · Special precautions for user       Not applicable.         · EMS Number:       F-E, S-E         · Transport in bulk according to Annex II of	· Class	3 Combustible liquids
· ADR, ADN, IMDG         · Class       Void         · IATA         • Class       3 Flammable liquids         · Label       3         · Packing group	· Label	3
<ul> <li>IATA</li> <li>Vision</li> <li>Class</li> <li>Class</li> <li>Class</li> <li>Section</li> <li>Packing group</li> <li>DOT, IATA</li> <li>Packing group</li> <li>DOT, IATA</li> <li>HII</li> <li>ADR, IMDG</li> <li>Void</li> <li>Environmental hazards:</li> <li>Marine pollutant:</li> <li>No</li> <li>Special precautions for user</li> <li>Not applicable.</li> <li>EMS Number:</li> <li>F-E, S-E</li> <li>Transport in bulk according to Annex II of</li> </ul>		
• Class3 Flammable liquids• Class3• Label3• Packing group3• Packing groupIII• DOT, IATAIII• ADR, IMDGVoid• Environmental hazards:No• Marine pollutant:No• Special precautions for userNot applicable.• EMS Number:F-E,S-E• Transport in bulk according to Annex II of	· Class	Void
· Label       3         · Packing group       .         · DOT, IATA       III         · ADR, IMDG       Void         · Environmental hazards:       .         · Marine pollutant:       No         · Special precautions for user       Not applicable.         · EMS Number:       F-E,S-E         · Transport in bulk according to Annex II of	·IATA	
· Label3· Packing groupIII· DOT, IATAIII· ADR, IMDGVoid· Environmental hazards:No· Marine pollutant:No· Special precautions for userNot applicable.· EMS Number:F-E,S-E· Transport in bulk according to Annex II of		
<ul> <li>Packing group</li> <li>DOT, IATA</li> <li>DOT, IATA</li> <li>III</li> <li>ADR, IMDG</li> <li>Void</li> <li>Environmental hazards:</li> <li>Marine pollutant:</li> <li>No</li> <li>Special precautions for user</li> <li>Not applicable.</li> <li>EMS Number:</li> <li>F-E,S-E</li> <li>Transport in bulk according to Annex II of</li> </ul>		
· DOT, IATA       III         · ADR, IMDG       Void         · Environmental hazards:       .         · Marine pollutant:       No         · Special precautions for user       Not applicable.         · EMS Number:       F-E,S-E         · Transport in bulk according to Annex II of		3
· ADR, IMDG       Void         · Environmental hazards:       .         · Marine pollutant:       No         · Special precautions for user       Not applicable.         · EMS Number:       F-E,S-E         · Transport in bulk according to Annex II of		
<ul> <li>Environmental hazards:</li> <li>Marine pollutant: No</li> <li>Special precautions for user Not applicable.</li> <li>EMS Number: F-E,S-E</li> <li>Transport in bulk according to Annex II of</li> </ul>		
· Marine pollutant:     No       · Special precautions for user     Not applicable.       · EMS Number:     F-E,S-E       · Transport in bulk according to Annex II of		Void
<ul> <li>Special precautions for user Not applicable.</li> <li>EMS Number: F-E,S-E</li> <li>Transport in bulk according to Annex II of</li> </ul>		
• EMS Number:     F-E, S-E       • Transport in bulk according to Annex II of	• Marine pollutant:	No
• EMS Number:     F-E, S-E       • Transport in bulk according to Annex II of	Special precautions for user	Not applicable.
	~	
	· EMS Number:	

Printing date 03/11/2019

Reviewed on 03/11/2019

Trade name: PRO GOLD

		(Contd. of page 6)
· Transport/Additional information:		
• DOT • Quantity limitations	CONSUMER COMMODITY ORM-D On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L	
· UN "Model Regulation":	Void	

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):				
None of the ingredients is listed.				
· Section 313 (Specific toxic chemical listings):				
52-51-7 bronopol (INN)				
67-56-1 methanol				
• TSCA (Toxic Substances Control Act) All ingredients are listed				
· TSCA new (21st Century Act): (Substances not listed)				
emulsifier				
detergent blend				
· Hazardous Air Pollutants				
67-56-1 methanol				
· Proposition 65				
· Chemicals known to cause cancer:				
None of the ingredients is listed.				
· Chemicals known to cause reproductive toxicity for females:				
None of the ingredients is listed.				
· Chemicals known to cause reproductive toxicity for males:				
None of the ingredients is listed.				
· Chemicals known to cause developmental toxicity:				
67-56-1 methanol				
· Carcinogenic categories				
· EPA (Environmental Protection Agency)				
None of the ingredients is listed.				
TIV (Thread and Limit Value antablished by ACCIII)				

· TLV (Threshold Limit Value established by ACGIH)

1332-58-7 Kaolin

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

*The product is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



· Signal word Warning

 $(Contd. \ on \ page \ 8)$ 

A4

USA

Printing date 03/11/2019

Reviewed on 03/11/2019

#### Trade name: PRO GOLD

· Hazard statements

(Contd. of page 7)

Flammable liquid and vapor.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Date of preparation / last revision 03/11/2019 / 51

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids - Category 3  $\cdot$  \* Data compared to the previous version altered.