

# Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

#### **SECTION 1. IDENTIFICATION**

Product name : X3 FABRIC CLEANER & PROTECTANT 4/1 GA

Product code : 565511

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num-

ber

1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

## **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with 29 CFR 1910.1200

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

: Category 2 (Respiratory Tract)

#### **GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : May cause damage to organs (Respiratory Tract) through pro-

longed or repeated exposure if inhaled.

Precautionary statements : Prevention:

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & **Protectant**

Version **Revision Date:** SDS Number: Date of last issue: 05/04/2018 09/06/2018 60000000585 2.0 Date of first issue: 05/23/2016

Response:

Get medical advice/ attention if you feel unwell.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Diethylene glycol monobutyl ether	112-34-5	>= 1 - < 5
Tetrasodium EDTA	64-02-8	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If on skin, rinse well with water. In case of skin contact

In case of eye contact Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed Obtain medical attention.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure if inhaled.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & **Protectant**

Version Date of last issue: 05/04/2018 Revision Date: SDS Number: 2.0 09/06/2018 60000000585 Date of first issue: 05/23/2016

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emergency procedures

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

Do not smoke.

Dispose of rinse water in accordance with local and national

regulations.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Further information on stor-No decomposition if stored and applied as directed.



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

age stability

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diethylene glycol monobutyl ether	112-34-5	TWA (Inhal- able fraction and vapor)	10 ppm	ACGIH

## Hazardous components without workplace control parameters

Components	CAS-No.
Tetrasodium EDTA	64-02-8

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing

Safety shoes

Protective measures : When using do not eat, drink or smoke.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : colourless



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

Odour : No data available

pH : 10 - 11

Melting point/freezing point : No data available

Boiling point/boiling range : 100 °C

(1,013 hPa)

The value is calculated

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

24.6 %(V)

The value is calculated

Lower explosion limit / Lower

flammability limit

0.9 %(V)

The value is calculated

Vapour pressure : 23.3333333 hPa (20 °C)

The value is calculated

Density : Average 1.0261 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity: No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Hazardous polymerisation does not occur.

No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.

Hazardous polymerisation does not occur.



# Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

Conditions to avoid : No data available

Incompatible materials : Aluminium

Copper alloys

Nickel

Oxidizing agents

reactive metals such as aluminum and magnesium

Strong acids Strong bases

Zinc

Hazardous decomposition

products

Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 76.92 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

#### **Components:**

Diethylene glycol monobutyl ether:

Acute oral toxicity : LD50 (Rat): 3,305 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,734 mg/kg

**Tetrasodium EDTA:** 

Acute oral toxicity : LD50 (Rat, female): 1,780 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

## Diethylene glycol monobutyl ether:

Result: Possibly irritating to skin

#### **Tetrasodium EDTA:**

Species: Rabbit

Result: No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Remarks: Unlikely to cause eye irritation or injury.

#### **Components:**

#### Diethylene glycol monobutyl ether:

Result: Irritating to eyes.

#### **Tetrasodium EDTA:**

Result: Irritating to eyes.

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### Components:

## Diethylene glycol monobutyl ether:

Test Type: Maximisation Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

## **Tetrasodium EDTA:**

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Remarks: Information given is based on data obtained from similar substances.

#### Germ cell mutagenicity

Not classified based on available information.



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

## **Components:**

Diethylene glycol monobutyl ether:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Result: In vivo tests did not show mutagenic effects

**Tetrasodium EDTA:** 

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Diethylene glycol monobutyl ether:

Effects on foetal develop: Remarks: No teratogenic effects

ment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Components:

**Tetrasodium EDTA:** 

Exposure routes: Inhalation
Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

#### Repeated dose toxicity

#### **Components:**

## Diethylene glycol monobutyl ether:

NOAEL: 250 mg/kg LOAEL: 1,000 mg/kg Application Route: Oral Target Organs: Blood

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### **Product:**

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## International Regulations

#### IATA-DGR

Not regulated as a dangerous good

## **IMDG-Code**

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

49 CFR



## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

Not regulated as a dangerous good

**49 CFR** 

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Formaldehyde	50-00-0	100	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.




## Car Brite™ X3™ FABRIC CLEANER & PROTECTANT Fabric Cleaner, Deodorizer & Protectant

Version Revision Date: SDS Number: Date of last issue: 05/04/2018 2.0 09/06/2018 600000000585 Date of first issue: 05/23/2016

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard.

Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN