

Versior 2.0	n	Revision Date: 09/06/2018		DS Number: 0000000236	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016	
SECTI	ON 1.	IDENTIFICATION				
Pr	roduct	name	:	MARINE & RV WAX AS-U-DRY 4/1 GA		
Pr	roduct	code	:	810603		
		<b>cturer or supplier's</b> on the supplier of supplier of supplier			LC	
Address		;	:	Dallas TX 75225		
Email Address		:	EHS@niteoproducts.com			
Telephone		ne	:	1-844-696-4836		
Emergency telephone num- ber		:	1-800-424-9300 / 1-703-741-5970			
Recommended use of the		hen	nical and restriction	ons on use		
Recommended use		:	WAX			
Re	estricti	ions on use	:	Use only outdoors	s or in a well-ventilated area.	

## **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

This material is considered hazardous under the OSHA Hazard Communication Standard criteria, based on hazard(s) not otherwise classified.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

Static-accumulating flammable liquid.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum)	64742-47-8	>= 1 - < 5
A		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### **SECTION 4. FIRST AID MEASURES**



Versic 2.0	on	Revision Date: 09/06/2018	-	DS Number: 0000000236	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016	
General advice		:	No hazards which	n require special first aid measures.		
If inhaled		:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.			
Ir	n case	of skin contact	:	If on skin, rinse well with water.		
In case of eye contact		:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.			
If swallowed		:	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			
a		portant symptoms ects, both acute and I	:	None known.		

# SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET



# MARINE & RV WAX AS-U-DRY <sup>™</sup> Ready-To-Use Marine & RV Wax

Versior 2.0	Revision Date: 09/06/2018		DS Number: 0000000236	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016	
Methods and materials for containment and cleaning up		:	Keep in suitable, closed containers for disposal.		
SECTI	ON 7. HANDLING AND ST	OR	AGE		
	Advice on protection against fire and explosion		Normal measures for preventive fire protection.		
Advice on safe handling		:	Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.		
Co	onditions for safe storage	:	Containers which kept upright to pro	are opened must be carefully resealed and event leakage.	
Ma	aterials to avoid	:	No materials to be	e especially mentioned.	
	rther information on stor- e stability	:	No decomposition	n if stored and applied as directed.	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum)	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

# Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
Hand protection		
Remarks	:	Wear resistant gloves (consult your safety equipment supplier).
Eye protection	:	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	:	Wear as appropriate: Safety shoes
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety



Version 2.0	Revision Date: 09/06/2018		S Number: 0000000236	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016
			practice.	
SECTION	9. PHYSICAL AND CH	IEMIC	CAL PROPERTIE	S
Арре	arance	:	Emulsion	
Colou	ır	:	white	
Odou	ır	:	No data availabl	e
рН		:	6.75 - 7.5	
Meltir	ng point/freezing point	:	No data availabl	e
Boilin	g point/boiling range	:	65 °C The value is calo	sulated
Flash	point	:	Not applicable	Julateu
Evap	oration rate	:	No data availabl	e
Flam	mability (solid, gas)	:	No data availabl	e
Flam	mability (liquids)	:	Static-accumula	ting flammable liquid.
Self-	ignition	:	No data availabl	e
Vapo	ur pressure	:	23.33 hPa (20 °C The value is cal	
Dens	ity	:	0.983 g/cm3	
	pility(ies) ater solubility	:	No data availabl	e
	ion coefficient: n- ol/water	:	No data availabl	e
Visco Vi	sity scosity, dynamic	:	No data availabl	e
Vi	scosity, kinematic	:	No data availabl	e
Oxidi	zing properties	:	No data availabl	e

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under recommended storage conditions. No hazards to be specially mentioned.



Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.0	09/06/2018	600000000236	Date of first issue: 05/23/2016
Condi	tions to avoid	: No data availa	able
Incompatible materials		: Strong oxidizi Strong reduci	
Hazar	dous decomposition	: Carbon oxide	-
produ	cts	Silicon oxides	

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Eye contact Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute dermal toxicity

: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

### Distillates (petroleum):

Result: Repeated exposure may cause skin dryness or cracking.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Remarks: Unlikely to cause eye irritation or injury.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

IARC

Not classified based on available information.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed



ersion 0	Revision Date: 09/06/2018	SDS Number: 60000000236	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016				
		human carcinoge	n by IARC.				
OSH	A		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.				
NTP			this product present at levels greater than or dentified as a known or anticipated carcinogen				
-	oductive toxicity lassified based on ava	ilable information.					
STOT	- single exposure						
Not c	lassified based on ava	ilable information.					
Com	ponents:						
Distil	lates (petroleum):						
	et Organs: Central ner ssment: May cause dr	vous system owsiness or dizziness					
	<b>- repeated exposur</b> lassified based on ava						
Aspir	ation toxicity						
Not c	lassified based on ava	ilable information.					
<u>Com</u>	oonents:						
	lates (petroleum): be fatal if swallowed a	nd enters airways.					
Furth	er information						
<u>Prod</u> Rema	u <u>ct:</u> arks: No data available	)					
ECTION	12. ECOLOGICAL IN	FORMATION					
<b>Toxic</b> Acute	<b>ity</b> aquatic toxicity	: Harmful to aqu	atic life.				
Chror	nic aquatic toxicity	: Harmful to aqu	atic life with long lasting effects.				
	,						

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.



VersionRevision Date:SDS Number:2.009/06/201860000000236

Date of last issue: 05/05/2018 Date of first issue: 05/23/2016

#### SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

IATA-DGR Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

#### 49 CFR

Not regulated as a dangerous good

#### 49 CFR

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Diethanolamine	111-42-2	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


#### California Prop. 65

WARNING: This product can expose you to chemicals including Diethanolamine, Ethylbenzene, Acetaldehyde, which is/are known to the State of California to cause cancer, and Ethylene Glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.0	09/06/2018	60000000236	Date of first issue: 05/23/2016

#### **SECTION 16. OTHER INFORMATION**



Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN