

SAFETY DATA SHEET



Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

SECTION 1. IDENTIFICATION

Product name : LEATHER CONDITIONER 12/32OZ
Product code : 783531

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC
Address : Dallas TX 75225
Email Address : EHS@niteoproducts.com
Telephone : 1-844-696-4836
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use


Recommended use : LEATHER CARE
Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves.
Response:
IF ON SKIN: Wash with plenty of soap and water.

SAFETY DATA SHEET



Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

If skin irritation or rash occurs: Get medical advice/ attention.
Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerin	56-81-5	$\geq 5 - < 10$
Poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	160875-66-1	$\geq 1 - < 5$
Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine	4719-04-4	$\geq 0.1 - < 1$

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and : May cause an allergic skin reaction.

Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.0	09/06/2018	600000000524	Date of first issue: 05/23/2016

delayed

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Silicon oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Do not smoke.
Avoid contact with skin and eyes.
-

Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Dispose of rinse water in accordance with local and national regulations.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the application area.

For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
Poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	160875-66-1
Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine	4719-04-4

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be dis-

SAFETY DATA SHEET



Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

- cussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.
- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear as appropriate:
Impervious clothing
Safety shoes
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not smoke.
When using do not eat or drink.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Emulsion
- Colour : off-white
- Odour : pleasant
- pH : ca. 6.5
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : > 93.4 °C
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : 11.2 %(V)
The value is calculated
- Lower explosion limit / Lower flammability limit : 1.1 %(V)
The value is calculated
- Vapour pressure : 23.33 hPa (20 °C)
The value is calculated
- Density : 0.985 g/cm³ (20 °C)
- Solubility(ies)
Water solubility : soluble

SAFETY DATA SHEET



Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

Partition coefficient: n-octanol/water : No data available

Viscosity
 Viscosity, dynamic : No data available

 Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Incompatible materials : Iron
Reducing agents
Strong acids
Strong bases
Strong oxidizing agents

Hazardous decomposition products : Carbon oxides
Sodium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Eye contact
Skin contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 157.54 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

Components:**Glycerin:**

- Acute oral toxicity : LD50 (Rat): 12,600 mg/kg
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat): > 570 mg/m3
Exposure time: 1 h
Test atmosphere: vapour
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.
- Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

Poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-:

- Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

- Acute oral toxicity : LD50 (Rat, female): 1,956 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 0.371 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat): > 2 g/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May irritate skin.

Components:**Glycerin:**

Assessment: No skin irritation
Result: No skin irritation

Poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-:

Result: Irritating to skin.

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

Result: Possibly irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

Components:

Glycerin:

Result: Possibly irritating to eyes

Poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-:

Result: Irritating to eyes.

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: May cause allergic skin reaction.

Components:

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

Species: Guinea pig

Assessment: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET



Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version 2.0 Revision Date: 09/06/2018 SDS Number: 600000000524 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitisation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


California Prop. 65

WARNING: This product can expose you to chemicals including Ethylbenzene, Diethanolamine, Acetaldehyde, which is/are known to the State of California to cause cancer, and Ethylene Glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Revision Date : 09/06/2018

SAFETY DATA SHEET



Car Brite™ LEATHER CONDITIONER Ready-To-Use

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.0	09/06/2018	600000000524	Date of first issue: 05/23/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN