

# SAFETY DATA SHEET



## Car Brite™ SELECT ALL PURPOSE DRESSING

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

### SECTION 1. IDENTIFICATION

Product name : CB SELECT ALL PURPOSE DRESSING 4/1 GA  
Product code : 593728

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC  
Address : Dallas TX 75225  
Email Address : EHS@niteoproducts.com  
Telephone : 1-844-696-4836  
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : POLISH  
Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerin	56-81-5	>= 1 - < 5
Secondary alcohol ethoxylate	84133-50-6	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

---

### SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET



## Car Brite™ SELECT ALL PURPOSE DRESSING

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.  
Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Silicon oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid breathing dust.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
-

## Car Brite™ SELECT ALL PURPOSE DRESSING

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.  
Advice on safe handling : Avoid contact with skin and eyes.  
Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (mist, total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m <sup>3</sup>	OSHA P0

#### Hazardous components without workplace control parameters

Components	CAS-No.
Secondary alcohol ethoxylate	84133-50-6

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

#### Personal protective equipment

Hand protection

# SAFETY DATA SHEET



## Car Brite™ SELECT ALL PURPOSE DRESSING

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

- Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Safety shoes
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.
- 

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : white
- Odour : like fruit
- pH : No data available
- Melting point/freezing point : No data available
- Boiling point/boiling range : 100 °C  
(1,013 hPa)  
The value is calculated
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : 11.2 %(V)  
The value is calculated
- Lower explosion limit / Lower flammability limit : 1.4 %(V)  
The value is calculated
- Vapour pressure : 23.33 hPa (20 °C)  
The value is calculated
- Density : 1.01 g/cm<sup>3</sup>
-

# SAFETY DATA SHEET



## Car Brite™ SELECT ALL PURPOSE DRESSING

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Incompatible materials : Strong acids  
Strong bases  
Strong oxidizing agents

Hazardous decomposition products : Carbon oxides  
Silicon oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Eye contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

---

**Car Brite™ SELECT ALL PURPOSE DRESSING**

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

**Components:**

**Glycerin:**

Acute oral toxicity : LD50 (Rat): 12,600 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 570 mg/m3  
Exposure time: 1 h  
Test atmosphere: vapour  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

**Secondary alcohol ethoxylate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks: May irritate skin.

**Components:**

**Glycerin:**

Assessment: No skin irritation  
Result: No skin irritation

**Secondary alcohol ethoxylate:**

Result: Irritating to skin.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

**Components:**

**Glycerin:**

Result: Possibly irritating to eyes

**Secondary alcohol ethoxylate:**

Result: Irritating to eyes.

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

# SAFETY DATA SHEET



## Car Brite™ SELECT ALL PURPOSE DRESSING

Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

### Respiratory sensitisation

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

# SAFETY DATA SHEET



## Car Brite™ SELECT ALL PURPOSE DRESSING

Version: 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

### SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

Not regulated as a dangerous good

##### 49 CFR

Not regulated as a dangerous good

---

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

##### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

WARNING: This product can expose you to chemicals including beta-Myrcene, Safrole, Methyl Eugenol, Diethanolamine, which is/are known to the State of California to cause cancer, and Ethylene glycol monomethyl ether, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# SAFETY DATA SHEET



## Car Brite™ SELECT ALL PURPOSE DRESSING


Version 2.0      Revision Date: 09/06/2018      SDS Number: 600000000714      Date of last issue: 05/06/2018  
Date of first issue: 05/23/2016

---

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA:



Special hazard.

Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN