

Car Brite[™] WET[™] Concentrated High Gloss **All-Purpose Dressing**

Version 2.0	Revision Date: 09/06/2018		DS Number: 00000000192	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016
SECTIC	N 1. IDENTIFICATION			
Pro	oduct name	:	WET CONC HIG	H GLOSS DRSG 4/1 GA
Pro	oduct code	:	781397	
	nufacturer or supplier's			
Co	mpany name of supplier	:	Niteo Products, L	LC
Ad	Address		Dallas TX 75225	
Em	Email Address		EHS@niteoprodu	icts.com
Tel	Telephone		1-844-696-4836	
Emergency telephone num- ber		:	1-800-424-9300 /	1-703-741-5970
Recommended use of the chemical and restrictions on use			ons on use	
Re	commended use	:	COATING	
Re	strictions on use	:	Use only outdoor	s or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200 Skin sensitisation : Category 1				
GHS label elements Hazard pictograms				
Signal word	: Warning			
Hazard statements	: May cause an allergic skin reaction.			
Precautionary statements	 Prevention: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. 			
	Response: IF ON SKIN: Wash with plenty of soap and water.			
	1 / 10			



Version 2.0	Revision Date: 09/06/2018	SDS Number: 600000000192	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016
			or rash occurs: Get medical advice/ attention. nated clothing before reuse.
		Disposal:	
		Dispose of con plant.	tents/ container to an approved waste disposal
Othe	r hazards		
None	known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Secondary alcohol ethoxylate	84133-50-6	>= 5 - < 10
Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-	4719-04-4	>= 0.1 - < 1
triazine		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 If on clothes, remove clothes. Remove contaminated clothing. If irritation develops, get medical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	 Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	 Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction.



Vers 2.0	sion	Revision Date: 09/06/2018		0S Number: 0000000192	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016
SEC	TION 5	. FIREFIGHTING MEA	SU	RES	
	Suitable	e extinguishing media	:	Water spray Carbon dioxide (C	:02)
	Unsuita media	ble extinguishing	:	High volume wate	r jet
	Specific fighting	c hazards during fire-	:	Do not allow run-o courses.	off from fire fighting to enter drains or water
	Hazard ucts	ous combustion prod-	:	Carbon oxides Silicon oxides	
	Specific ods	c extinguishing meth-	:	Product is compar	tible with standard fire-fighting agents.
	Further	information	:	cumstances and t Fire residues and	measures that are appropriate to local cir- he surrounding environment. contaminated fire extinguishing water must accordance with local regulations.
	Special for firefi	protective equipment ighters	:	In the event of fire	e, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Do not smoke. Avoid contact with skin and eyes. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.



Version 2.0	Revision Date: 09/06/2018		DS Number: 00000000192	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016
Con	ditions for safe storage		regulations. Container hazard Smoking, eating a plication area. For personal prot	water in accordance with local and national lous when empty. and drinking should be prohibited in the ap- ection see section 8. ghtly closed in a dry and well-ventilated
Con	unions for sale storage	·	place.	are opened must be carefully resealed and
	ner information on stor- stability	:	No decomposition	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Engineering measures		Provide suffici ventilation to r	nainta
Hexahydro-1,3,5-tris(2- hydroxyethyl)-s-triazine		4719-04-4	
Secondary alcohol ethoxylate		84133-50-6	
Components		CAS-No.	

: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks	:	Wear resistant gloves (consult your safety equipment suppli- er). The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.
Eye protection	:	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	:	Choose body protection according to the amount and con- centration of the dangerous substance at the work place. Wear as appropriate: Impervious clothing Safety shoes
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not smoke. When using do not eat or drink.



	Number:Date of last issue: 05/05/201800000192Date of first issue: 05/23/2016
--	--

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: yellow
Odour	: pleasant
рН	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: 100 °C (1,013 hPa) The value is calculated
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: 11.2 %(V) The value is calculated
Lower explosion limit / Lower flammability limit	: 1.4 %(V) The value is calculated
Vapour pressure	: 23.33 hPa (20 °C) The value is calculated
Density	: 0.86 g/cm3 (20 °C)
Solubility(ies) Water solubility	: No data available
Partition coefficient: n- octanol/water	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No decomposition if stored and applied as	directed.
Chemical stability	No decomposition if stored and applied as	directed.



Car Brite[™] WET[™] Concentrated High Gloss All-Purpose Dressing

Vers 2.0	ion	Revision Date: 09/06/2018		S Number: 0000000192	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016			
	Possibi tions	lity of hazardous reac-	:		nerisation does not occur. n if stored and applied as directed.			
	Conditi	ons to avoid	:	No data available				
	Incompatible materials		:	Strong acids Strong bases Strong oxidizing agents				
	Hazardous decomposition products		:	Carbon oxides Silicon oxides				
SEC	TION 1	1. TOXICOLOGICAL I	NFC	RMATION				
	Inform	ation on likely routes	ofe	exposure				
	Inhalati Skin co Eye co Ingestio	ion ontact ntact		, poouro				
	Acute	toxicity						
	Not cla	ssified based on availa	ble i	nformation.				
	Produc	<u>st:</u>						
	Acute i	nhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	dust/mist			

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

Secondary alcohol ethoxylate:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

Acute oral toxicity	:	LD50 (Rat, female): 1,956 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.371 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2 g/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May irritate skin.



Version	Revision Date:	SDS Number:
2.0	09/06/2018	60000000192

Date of last issue: 05/05/2018 Date of first issue: 05/23/2016

Components:

Secondary alcohol ethoxylate: Result: Irritating to skin.

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

Result: Possibly irritating to skin

Serious eye damage/eye irritation Not classified based on available information.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Secondary alcohol ethoxylate:

Result: Irritating to eyes.

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: May cause allergic skin reaction.

Components:

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine:

Species: Guinea pig Assessment: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information. IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.



Version 2.0	Revision Date: 09/06/2018	SDS Number: 600000000192	Date of last issue: 05/05/2018 Date of first issue: 05/23/2016		
NTP		•	this product present at levels greater than or dentified as a known or anticipated carcinogen		
•	oductive toxicity lassified based on ava	ailable information.			
	STOT - single exposure Not classified based on available information.				
	STOT - repeated exposure Not classified based on available information.				
-	Aspiration toxicity Not classified based on available information.				
Furth	ner information				
<u>Prod</u> Rema	<mark>uct:</mark> arks: No data available	e			

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	Dispose of in accordance with all applicable local, stat federal regulations.	e and
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations



Car Brite[™] WET[™] Concentrated High Gloss All-Purpose Dressing

Version	Revision Date:	SDS Number:
2.0	09/06/2018	60000000192

Date of last issue: 05/05/2018 Date of first issue: 05/23/2016

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitisation
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65


WARNING: This product can expose you to chemicals including Diethanolamine, which is/are known to the State of California to cause cancer, and Ethylene glycol monomethyl ether, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Car Brite[™] WET[™] Concentrated High Gloss All-Purpose Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.0	09/06/2018	60000000192	Date of first issue: 05/23/2016

SECTION 16. OTHER INFORMATION



Revision Date : 09/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN